

SIGMA-ALDRICH

sigma-aldrich.com

Material Safety Data Sheet

Version 4.2
Revision Date 09/26/2012
Print Date 10/04/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Cyclohexanone
Product Number : 398241
Brand : Sigma-Aldrich
Supplier : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA
Telephone : +1 800-325-5832
Fax : +1 800-325-5052
Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555
Preparation Information : Sigma-Aldrich Corporation
Product Safety - Americas Region
1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Combustible Liquid, Target Organ Effect, Harmful by ingestion., Irritant

Target Organs

Liver, Kidney, Central nervous system, Lungs

GHS Classification

Flammable liquids (Category 3)
Acute toxicity, Oral (Category 4)
Serious eye damage (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H318 Causes serious eye damage.

Precautionary statement(s)

P280 Wear protective gloves/ eye protection/ face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

HMS Classification

Health Hazard: 2
Chronic Health Hazard: *
Flammability: 2
Physical hazards: 0

Sigma-Aldrich - 398241
Delivery 0842935366-000010 Purchase Order P0110487

NFPA Rating

Health hazard: 2

Fire: 2

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.
Skin Harmful if absorbed through skin. Causes skin irritation.
Eyes Causes eye irritation.
Ingestion Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula	: C ₆ H ₁₀ O
Molecular Weight	: 98.14 g/mol
Component	Concentration
Cyclohexanone	
CAS-No.	108-94-1
EC-No.	203-631-1
Index-No.	606-010-00-7

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Sigma-Aldrich - 398241
Delivery 0842935366-000010 Purchase Order P0110487

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Cyclohexanone	108-94-1	TWA	20 ppm	USA, ACGIH Threshold Limit Values (TLV)
Remarks	Eye & Upper Respiratory Tract irritation Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption			
		STEL	50 ppm	USA, ACGIH Threshold Limit Values (TLV)
	Eye & Upper Respiratory Tract irritation Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption			
		TWA	25 ppm 100 mg/m ³	USA, OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
	Skin notation			
		TWA	50 ppm 200 mg/m ³	USA, Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in mg/m ³ is approximate.				
		TWA	25 ppm 100 mg/m ³	USA, NIOSH Recommended Exposure Limits
Potential for dermal absorption				

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form clear, liquid
Colour colourless

Safety data

pH no data available
Melting point/freezing point Melting point/range: -47 °C (-53 °F) - lit.
Boiling point 155 °C (311 °F) - lit.
Flash point 44 °C (111 °F) - closed cup
Ignition temperature 420 °C (788 °F)
Autoignition no data available
Lower explosion limit 1.1 %(V)
Upper explosion limit 9.4 %(V)
Vapour pressure 4.5 hPa (3.4 mmHg) at 20 °C (68 °F)
13 hPa (10 mmHg) at 38.7 °C (101.7 °F)
Density 0.947 g/cm³ at 25 °C (77 °F)
Water solubility ca.50 g/l
Partition coefficient: log Pow: 0.81
n-octanol/water
Relative vapour density 3.39
- (Air = 1.0)
Odour no data available
Odour Threshold no data available
Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Oxidizing agents, Plastics

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides
Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - mouse - 1,400 mg/kg

Inhalation LC50

no data available

Dermal LD50

no data available

Other information on acute toxicity

no data available

Skin corrosion/irritation

Skin - rabbit - Open irritation test

Serious eye damage/eye irritation

Eyes - rabbit - Severe eye irritation - 24 h

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Cyclohexanone)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation

May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion

Harmful if swallowed.

Skin

Harmful if absorbed through skin. Causes skin irritation.

Eyes

Causes eye irritation.

Signs and Symptoms of Exposure

Prolonged or repeated exposure to skin causes defatting and dermatitis. Cough, Shortness of breath, Headache, Nausea, Vomiting, Central nervous system depression, Incoordination. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: GW1050000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 820 mg/l - 24 h

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1915 Class: 3

Proper shipping name: Cyclohexanone

Reportable Quantity (RQ): 5000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

Packing group: III

IMDG

UN number: 1915 Class: 3

Proper shipping name: CYCLOHEXANONE

Marine pollutant: No

EMS-No: F-E, S-D

Packing group: III

IATA

UN number: 1915 Class: 3

Proper shipping name: Cyclohexanone

Packing group: III

15. REGULATORY INFORMATION

OSHA Hazards
Combustible Liquid, Target Organ Effect, Harmful by ingestion., Irritant

SARA 302 Components
SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components
SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards
Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Cyclohexanone	CAS-No. 108-94-1	Revision Date 1993-04-24
---------------	---------------------	-----------------------------

Pennsylvania Right To Know Components

Cyclohexanone	CAS-No. 108-94-1	Revision Date 1993-04-24
---------------	---------------------	-----------------------------

New Jersey Right To Know Components

Cyclohexanone	CAS-No. 108-94-1	Revision Date 1993-04-24
---------------	---------------------	-----------------------------

California Prop. 65 Components
This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information
Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGMA-ALDRICH

sigma-aldrich.com

Material Safety Data Sheet

Version 4.1
Revision Date 01/19/2012
Print Date 10/04/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Cyclohexane
Product Number : 227048
Brand : Sigma-Aldrich
Supplier : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA
Telephone : +1 800-325-5832
Fax : +1 800-325-5052
Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555
Preparation Information : Sigma-Aldrich Corporation
Product Safety - Americas Region
1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid, Irritant

Target Organs

Lungs, Central nervous system

GHS Classification

Flammable liquids (Category 2)
Acute toxicity, Inhalation (Category 4)
Acute toxicity, Dermal (Category 5)
Skin Irritation (Category 2)
Eye Irritation (Category 2B)
Specific target organ toxicity - single exposure (Category 3)
Aspiration hazard (Category 1)
Acute aquatic toxicity (Category 1)
Chronic aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H313 May be harmful in contact with skin.
H315 + H320 Causes skin and eye irritation.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P281 Avoid breathing dust/ fume/ gas/ mist/ vapour/ spray.
P273 Avoid release to the environment.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331 Do NOT induce vomiting.
P501 Dispose of contents/ container to an approved waste disposal plant.

HMIS Classification

Health hazard: 2
Flammability: 3
Physical hazards: 0

NFPA Rating

Health hazard: 2
Fire: 3
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Vapours may cause drowsiness and dizziness.
Skin May be harmful if absorbed through skin. Causes skin irritation.
Eyes Causes eye irritation.
Ingestion May be harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause damage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C₆H₁₂
Molecular Weight : 84.16 g/mol

Component	Concentration
Cyclohexane	
CAS-No.	110-82-7
EC-No.	203-806-2
Index-No.	601-017-00-1

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store under inert gas.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Cyclohexane	110-82-7	TWA	100 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Central Nervous System impairment			
		TWA	300 ppm 1,050 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	300 ppm 1,050 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	The value in mg/m3 is approximate.			
		TWA	300 ppm 1,050 mg/m3	USA. NIOSH Recommended Exposure Limits

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid
Colour colourless

Safety data

pH no data available
Melting point/freezing point Melting point/range: 4 - 7 °C (39 - 45 °F) - lit.
Boiling point 80.7 °C (177.3 °F) - lit.
Flash point -18.0 °C (-0.4 °F) - closed cup
Ignition temperature 260 °C (500 °F)
Autoignition temperature 260.0 °C (500.0 °F)
Lower explosion limit 1 %(V)
Upper explosion limit 9 %(V)
Vapour pressure 225.0 hPa (168.8 mmHg) at 37.7 °C (99.9 °F)
102.7 hPa (77.0 mmHg) at 20.0 °C (68.0 °F)
Density 0.779 g/cm3 at 25 °C (77 °F)
Water solubility no data available
Partition coefficient: n-octanol/water log Pow: 3.44
Relative vapour density no data available
Odour no data available
Odour Threshold no data available
Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions
Vapours may form explosive mixture with air.

Conditions to avoid
Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid
Strong oxidizing agents

Hazardous decomposition products
Hazardous decomposition products formed under fire conditions. - Carbon oxides
Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 12,705 mg/kg

Inhalation LC50

LC50 Inhalation - rat - 4 h - 13,900 mg/m3

Dermal LD50

LD50 Dermal - rabbit - > 2,000 mg/kg

Other information on acute toxicity

no data available

Skin corrosion/irritation

Skin - rabbit - No skin irritation

Serious eye damage/eye irritation

Eyes - rabbit - Mild eye irritation

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)
no data available

Aspiration hazard

May be fatal if swallowed and enters airways.

Potential health effects

Inhalation

May be harmful if inhaled. Causes respiratory tract irritation. Vapours may cause drowsiness and dizziness.

Ingestion

May be harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause damage.

Skin

May be harmful if absorbed through skin. Causes skin irritation.

Eyes

Signs and Symptoms of Exposure

Central nervous system depression, Drowsiness, Irritability, Dizziness, Gastrointestinal disturbance, Lung irritation, chest pain, pulmonary edema

Synergistic effects

no data available

Additional Information

RTECS: GUB300000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish

LC50 - Lepomis macrochirus (Bluegill) - 34.7 mg/l - 96.0 h

LC50 - Pimephales promelas (fathead minnow) - 32 - 93 mg/l - 96.0 h

EC50 - Daphnia magna (Water flea) - 3.78 mg/l - 48 h

Toxicity to daphnia and other aquatic invertebrates

Persistence and degradability

Biodegradability Result: - Not readily biodegradable.

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1145 Class: 3
Proper shipping name: Cyclohexane
Reportable Quantity (RQ): 1000 lbs
Marine pollutant: No
Poison Inhalation Hazard: No

Packing group: II

IMDG

UN number: 1145 Class: 3
Proper shipping name: CYCLOHEXANE
Marine pollutant: No

Packing group: II

EMS-No: F-E, S-D

IATA

UN number: 1145 Class: 3
Proper shipping name: Cyclohexane

Packing group: II

15. REGULATORY INFORMATION

OSHA Hazards

Flammable liquid, Irritant

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:
CAS-No. 110-82-7
Revision Date 2007-07-01
Cyclohexane

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

Cyclohexane

CAS-No. 110-82-7
Revision Date 2007-07-01

Pennsylvania Right To Know Components

Cyclohexane

CAS-No. 110-82-7
Revision Date 2007-07-01

New Jersey Right To Know Components

Cyclohexane

CAS-No. 110-82-7
Revision Date 2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.



SIGMA-ALDRICH

3050 Spruce Street
Saint Louis, MO, 63103 USA
Telephone: 877-744-1126
Fax: 800-325-5052
www.sigmaaldrich.com

MSDS Address Confirmation

10/04/2012

Sold-to Account#: 49487708
MSDS Recipient#: 49487709

SCHOOLCRAFT COLLEGE
18600 HAGGERTY RD
LIVONIA MI 48152
USA

Telephone
Fax
Email

☐ I would like to make the following change/correction to my MSDS recipient address:

☐ I would be interested in receiving my MSDS via a different delivery method:

☐ MSDS subscription products (CD-ROM, etc)

☐ Email (future functionality - will notify you when available)

☐ In the box with my products (future functionality - will notify you when available)

Contact name: _____
Email address: _____ @ _____
Date: _____

☐ Please discontinue MSDS mailings to the above address (*):

I hereby certify that my organization meets all applicable legal requirements for MSDS availability by alternative means, electronic or otherwise, and does not require Sigma-Aldrich to send me a paper copy of the MSDS for any products ordered from Sigma-Aldrich.

Contact name: _____
Email address: _____ @ _____
Date: _____

(*) Requires approval from Corporate Product Safety representative:

Name: _____
Signature: _____
Date: _____
Email address: _____ @ _____

Please fax completed form to 877-380-2660 or 314-286-8083 or email changes to cmmg@sial.com.

Accelerating Customers' Success through Leadership in Life Science, High Technology and Service

00000787