

MSDS Number: **P5950** * * * * * *Effective Date: 11/02/01* * * * * * *Supersedes: 11/17/99*

MSDS MATERIAL SAFETY DATA SHEET
(USA)

Canada)

From: Mallinckrodt Baker, Inc
222 Red School Lane
Phillipsburg, NJ 08865

CANUTEC

event

Emergency Telephone Number: 908-859-2151

CHEMTREC: 800-424-9300

703-527-3887(Outside USA and

CANUTEC: 613-996-6666

NOTE: Use CHEMTREC and

phone numbers only in the

of a chemical emergency.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.

M A L L I N C K R O D T

J. T. B A K E R

POTASSIUM NITRATE

1. Product Identification

Synonyms: Saltpeter; niter; Nitric acid, potassium salt

CAS No.: 7757-79-1

Molecular Weight: 101.1

Chemical Formula: KNO₃

Product Codes:

J.T. Baker: 3190, 3192, 3194, 8005

Mallinckrodt: 3651, 6370, 6390, 6715, 7028

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent
Hazardous		
-----	-----	-----

Potassium Nitrate	7757-79-1	99 - 100%
Yes		

3. Hazards Identification

Emergency Overview

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.

J.T. Baker SAF-T-DATA^(tm) Ratings (Provided here for your convenience)

Health Rating: 1 - Slight
Flammability Rating: 0 - None
Reactivity Rating: 3 - Severe (Oxidizer)
Contact Rating: 1 - Slight
Lab Protective Equip: GOGGLES; LAB COAT
Storage Color Code: Yellow (Reactive)

Potential Health Effects

Inhalation:

Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath.

Ingestion:

Causes irritation to the gastrointestinal tract. Symptoms may include nausea, vomiting and diarrhea. May cause gastroenteritis and abdominal pains. Purging and diuresis can be expected. Rare cases of nitrates being converted to the more toxic nitrites have been reported, mostly with infants.

Skin Contact:

Causes irritation to skin. Symptoms include redness, itching, and pain.

Eye Contact:

Causes irritation, redness, and pain.

Chronic Exposure:

Under some circumstances methemoglobinemia occurs in individuals when the nitrate is converted by bacteria in the stomach to nitrite. Nausea, vomiting, dizziness, rapid heart beat, irregular breathing, convulsions, coma, and death can occur should this conversion take place. Chronic

exposure to nitrites may cause anemia and adverse effects to kidney.

Aggravation of Pre-existing Conditions:

No information found.

4. First Aid Measures

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. Fire Fighting Measures

Fire:

Not combustible, but substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Explosion:

Some nitrates may explode when shocked, exposed to heat or flame, or by spontaneous chemical reaction. Sealed containers may rupture when heated. Sensitive to mechanical impact.

Fire Extinguishing Media:

Dry chemical, carbon dioxide, Halon, water spray, or fog. If water is used, apply from as far a distance as possible. Water spray may be used to keep fire exposed containers cool. Do not allow water runoff to enter sewers or waterways.

Special Information:

Wear full protective clothing and breathing equipment for high-intensity fire or potential explosion conditions. This oxidizing material can increase the flammability of adjacent combustible materials.

6. Accidental Release Measures

Remove all sources of ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by moistening with water. Pick up spill for recovery or disposal and place in a closed container.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage and moisture. Isolate from any source of heat or ignition. Avoid storage on wood floors. Separate from incompatibles, combustibles, organic or other readily oxidizable materials. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

None established.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or full face shield where dusting or

splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance:

White crystals.

Odor:

Odorless.

Solubility:

36 gm/100 ml water

Specific Gravity:

2.1

pH:

ca. 7

% Volatiles by volume @ 21C (70F):

0

Boiling Point:

400C (752F)

Melting Point:

333C (631F)

Vapor Density (Air=1):

3.00

Vapor Pressure (mm Hg):

Negligible @ 20C

Evaporation Rate (BuAc=1):

No information found.

10. Stability and Reactivity

Stability:

Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products:

Oxides of nitrogen and toxic metal fumes may form when heated to decomposition.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Heavy metals, phosphites, organic compounds, carbonaceous materials, strong acids, and many other substances.

Conditions to Avoid:

Heat, flames, ignition sources and incompatibles.

11. Toxicological Information

Oral rat LD50: 3750 mg/kg. Investigated as a mutagen, reproductive effector.

-----\Cancer Lists\-----			

Ingredient Category	---NTP Known	Carcinogen--- Anticipated	IARC
-----	-----	-----	-----
Potassium Nitrate (7757-79-1)	No	No	None

12. Ecological Information

Environmental Fate:

No information found.

Environmental Toxicity:

No information found.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Domestic (Land, D.O.T.)

Proper Shipping Name: POTASSIUM NITRATE

Hazard Class: 5.1

UN/NA: UN1486

Packing Group: III

Information reported for product/size: 100KG

International (Water, I.M.O.)

Proper Shipping Name: POTASSIUM NITRATE

Hazard Class: 5.1
UN/NA: UN1486
Packing Group: III
Information reported for product/size: 100KG

15. Regulatory Information

```

-----\Chemical Inventory Status - Part 1\-----
-----
Ingredient                                TSCA  EC   Japan
Australia
-----
Potassium Nitrate (7757-79-1)            Yes  Yes  Yes
Yes
  
```

```

-----\Chemical Inventory Status - Part 2\-----
-----
Ingredient                                Korea  --Canada--
Phil.                                   DSL    NDSL
-----
Potassium Nitrate (7757-79-1)            Yes   Yes   No
Yes
  
```

```

-----\Federal, State & International Regulations - Part 1\-----
-----
313-----
Ingredient                                -SARA 302-  -----SARA
Chemical Catg.                          RQ    TPQ    List
-----
Potassium Nitrate (7757-79-1)            No    No     No    Nitrate
Cmpd
  
```

```

-----\Federal, State & International Regulations - Part 2\-----
-----
Ingredient                                CERCLA  -RCRA-  -TSCA-
                                           261.33  8(d)
-----
Potassium Nitrate (7757-79-1)            No      No      No
  
```

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No
 SARA 311/312: Acute: Yes Chronic: Yes Fire: Yes Pressure: No
 Reactivity: No (Pure / Solid)

Australian Hazchem Code: 1[T]
Poison Schedule: None allocated.
WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings: Health: **1** Flammability: **0** Reactivity: **0** Other: **Oxidizer**

Label Hazard Warning:

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.

Label Precautions:

Keep from contact with clothing and other combustible materials.

Store in a tightly closed container.

Do not store near combustible materials.

Remove and wash contaminated clothing promptly.

Avoid contact with eyes, skin and clothing.

Avoid breathing dust.

Keep container closed.

Use only with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. In all cases, get medical attention.

Product Use:

Laboratory Reagent.

Revision Information:

MSDS Section(s) changed since last revision of document include: 8.

Disclaimer:

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT

BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

Prepared by: Environmental Health & Safety
Phone Number: (314) 654-1600 (U.S.A.)