

Zinc Chloride, GR

Material Safety Data Sheet

Section 1. Product and Company Identification

Product Name Zinc Chloride, GR

Product Code ZX0065

Manufacturer EMD Chemicals Inc.

P.O. Box 70

480 Democrat Road

Gibbstown, NJ 08027

Prior to January 1, 2003 EMD Chemicals Inc. was

EM Industries, Inc. or EM Science, Division of

EM Industries, Inc.

Effective Date 3/3/2003

For More Information Call

856-423-6300 Technical Service

Monday-Friday: 8:00 AM - 5:00 PM

In Case of Emergency Call

800-424-9300 CHEMTREC

(USA)

613-996-6666 CANUTEC

(Canada)

24 Hours/Day: 7 Days/Week

Synonym ZINC DICHLORIDE

Material Uses Analytical reagent.

Chemical Family Metal salt.

Section 2. Composition and Information on Ingredients

Component

CAS # % by Weight

ZINC CHLORIDE

7646-85-7 100

Section 3. Hazards Identification

Physical State and Appearance Solid. (Deliquescent crystals solid. Granular solid.)

Emergency Overview

WARNING!

CAUSES RESPIRATORY TRACT, EYE AND SKIN BURNS.

HARMFUL IF INHALED OR SWALLOWED.

CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE

FOLLOWING ORGANS: LUNGS, RESPIRATORY TRACT, SKIN,

EYES, EYE, LENS OR CORNEA.

MAY BE HARMFUL TO ENVIRONMENT IF RELEASED IN LARGE AMOUNTS.

VERY TOXIC TO AQUATIC ORGANISMS.

Routes of Entry Inhalation. Ingestion.

Potential Acute Health Effects

Eyes Hazardous in case of eye contact (corrosive). Causes eye burns.

Skin Hazardous in case of skin contact (corrosive). Skin contact produces burns.

Inhalation Hazardous in case of inhalation (lung corrosive).

Ingestion Hazardous in case of ingestion.

Potential Chronic Health Effects

Carcinogenic Effects This material is not known to cause cancer in animals or humans.

Zinc Chloride, GR

Additional information See Toxicological Information (section 11)

Medical Conditions Aggravated by Overexposure: Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section 4. First Aid Measures

Eye Contact Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flammability of the Product Non-flammable.

Auto-ignition Temperature Not applicable.

Flash Points Not applicable.

Flammable Limits Not applicable.

Products of Combustion Not available.

Fire Hazards in Presence of Various Substances Not applicable.

Explosion Hazards in Presence of Various Substances Risks of explosion of the product in presence of static discharge: No.

Risks of explosion of the product in presence of mechanical impact: No.

Fire Fighting Media and Instructions Not applicable.

Protective Clothing (Fire) Not applicable.

Special Remarks on Fire Hazards Not available.

Special Remarks on Explosion Hazards Not available.

Section 6. Accidental Release Measures

Small Spill and Use appropriate tools to put the spilled solid in a convenient waste

Zinc Chloride, GR

Leak	disposal container.
Large Spill and Leak	Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.
Spill Kit Information	No specific spill kit required for this product.

Section 7. Handling and Storage

Handling	Do not ingest. Do not breathe dust. Keep container closed. Wash thoroughly after handling. Do not get in eyes, on skin, or on clothing.
Storage	Keep container in a cool, well-ventilated area.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	
Eyes	Splash goggles.
Body	Synthetic apron.
Respiratory	Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.
Hands	Gloves.
Feet	Not applicable.
Protective Clothing (Pictograms)	
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Vapor and dust respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Product Name
ZINC CHLORIDE

Exposure Limits
Belgium Minister of Labour (Belgium, 1998).
VCD: 2 mg/m³
VL: 1 mg/m³
SUVA (Switzerland, 1997). Skin
Kurzzeitsgrenzwerte: 0.2 mg/m³
MAK: 0.1 mg/m³
DK-Arbejdssynet (Denmark, 1996).
GV: 0.5 mg/m³
Tyterveyslaitos (Finland, 1998).
TWA: 1 mg/m³
INRS (France, 1996).
VME: 1 mg/m³
National Authority for Occupational Safety/Health (Ireland, 1999).
STEL: 2 mg/m³

Zinc Chloride, GR

OEL: 1 mg/m³

Arbeidsinspectie (Netherlands, 1999).

TGG 8 uur: 1 mg/m³

N–Arbeidstilsynet (Norway, 1996).

AN: 1 mg/m³

AFS (Sweden, 1996).

NGV: 1 mg/m³

EH40–OES (United Kingdom (UK), 1997).

STEL: 2 mg/m³

MEL: 1 mg/m³

ACGIH (United States, 1994).

STEL: 2 mg/m³ Form: Fume

TWA: 1 mg/m³ Form: Fume

NIOSH REL (United States, 1994).

STEL: 2 mg/m³ Form: Fume

TWA: 1 mg/m³ Period: 10 hour(s). Form: Fume

OSHA Final Rule (United States, 1989).

STEL: 2 mg/m³ Form: Fume

TWA: 1 mg/m³ Form: Fume

Section 9. Physical and Chemical Properties

Odor	Odorless.
Color	White.
Physical State and Appearance	Solid. (Deliquescent crystals solid. Granular solid.)
Molecular Weight	136.27 g/mole
Molecular Formula	Cl ₂ –Zn
pH	Not available.
Boiling/Condensation Point	732.27°C (1350.1°F)
Melting/Freezing Point	282.83°C (541.1°F)
Specific Gravity	2.91 (Water = 1)
Vapor Pressure	Not available.
Vapor Density	Not available.
Odor Threshold	Not available.
Evaporation Rate	Not available.
LogKow	Not available.
Solubility	Soluble in water.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Not available.
Incompatibility with Various Substances	Reactive with moisture.
Rem/Incompatibility	Not available.
Hazardous Decomposition	Not available.

Zinc Chloride, GR

Products

Hazardous

Will not occur.

Polymerization

Section 11. Toxicological Information

RTECS Number:

Zinc Chloride ZH1400000

Toxicity

Acute oral toxicity (LD50): 200 mg/kg [Guinea pig].

Chronic Effects on

Not available.

Humans

Acute Effects on

Hazardous in case of eye contact (corrosive). Causes eye burns.

Humans

Hazardous in case of skin contact (corrosive). Skin contact produces burns. Hazardous in case of inhalation (lung corrosive). Hazardous in case of ingestion.

Synergetic Products

Not available.

(Toxicologically)

Irritancy

Draize Test: Not available.

Sensitization

Not available.

Carcinogenic

This material is not known to cause cancer in animals or humans.

Effects

Toxicity to

Reproductive

Tests on laboratory animals for reproductive effects are cited in Registry of Toxic Effects on Chemical Substances (RTECS).

System

Teratogenic Effects

Not available.

Mutagenic Effects

Tests on laboratory animals for mutagenic effects are cited in Registry of Toxic Effects of Chemical Substances (RTECS).

Section 12. Ecological Information

Ecotoxicity

Not available.

BOD5 and COD

Not available.

Toxicity of the

Products of

Biodegradation

The products of degradation are less toxic than the product itself.

Section 13. Disposal Considerations

EPA Waste

Not available.

Number

Treatment

Material does not have an EPA Waste Number and is not a listed waste, however consultation with a permitted waste disposal site (TSD) should be accomplished. Always contact a permitted waste disposal (TSD) to assure compliance with all current local, state, and Federal Regulations.

Section 14. Transport Information

DOT Classification

Proper Shipping Name: ZINC
CHLORIDE, ANHYDROUS

Hazard Class: 8

UN number: UN2331

Packing Group: III

RQ: 1000 lbs. (453.6 kg)

TDG Classification

Not available.

Zinc Chloride, GR

IMO/IMDG Classification

Proper Shipping Name: ZINC
CHLORIDE, ANHYDROUS
Hazard Class: 8
UN number: UN2331
Packing Group: III
RQ: 1000

ICAO/IATA Classification

Not available.

Section 15. Regulatory Information

U.S. Federal Regulations

TSCA 8(b) inventory: ZINC CHLORIDE

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: ZINC CHLORIDE

SARA 311/312 MSDS distribution – chemical inventory – hazard identification: ZINC CHLORIDE: Immediate (Acute) Health Hazard, Delayed (Chronic) Health Hazard

SARA 313 toxic chemical notification and release reporting: ZINC CHLORIDE

Clean Water Act (CWA) 307: ZINC CHLORIDE

Clean Water Act (CWA) 311: ZINC CHLORIDE

Clean air act (CAA) 112 accidental release prevention: No products were found.

Clean air act (CAA) 112 regulated flammable substances: No products were found.

Clean air act (CAA) 112 regulated toxic substances: No products were found.

WHMIS (Canada)

Class D–1B: Material causing immediate and serious toxic effects (TOXIC).

Class D–2A: Material causing other toxic effects (VERY TOXIC).

CLASS E: Corrosive solid.

CEPA DSL: ZINC CHLORIDE

This product has been classified in accordance with the hazard criteria of the Controlled Product Regulations and the MSDS contains all required information.

International Regulations

EINECS

ZINC CHLORIDE 231–592–0

DSCL (EEC)

R34– Causes burns.

R50/53– Very toxic to aquatic organisms, may cause long–term adverse effects in the aquatic environment.

International Lists

Australia (NICNAS): ZINC CHLORIDE

Japan (MITI): ZINC CHLORIDE

Korea (TCCL): ZINC CHLORIDE

Philippines (RA6969): ZINC CHLORIDE

Zinc Chloride, GR

State Regulations	China: No products were found.
	Pennsylvania RTK: ZINC CHLORIDE: (environmental hazard, generic environmental hazard)
	Massachusetts RTK: ZINC CHLORIDE
	New Jersey: ZINC CHLORIDE
	California prop. 65: No products were found.

Section 16. Other Information

National Fire Protection Association (U.S.A.)	0 20	Fire
		Hazard
		Health
		Reactivity
		Specific Hazard

Changed Since Last Revision ⁺

Notice to Reader

The statements contained herein are based upon technical data that EMD Chemicals Inc. believes to be reliable, are offered for information purposes only and as a guide to the appropriate precautionary and emergency handling of the material by a properly trained person having the necessary technical skills. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use, storage and disposal of these materials and the safety and health of employees and customers and the protection of the environment. EMD CHEMICALS INC. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, WITH RESPECT TO THE INFORMATION HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.
